Sanitized Copy Approved for Release 2010/03/12 : CIA-RDP80T00246A033800280001-6

#### PROCESSING COPY


# INFORMATION REPORT INFORMATION REPORT

### CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

		S-E-	-C-R-R-п		25)
DUNTRY	T				20.
	Hungary		REPORT		
SUBJECT	Power Plant and Chemical Factory		DATE DISTR.	16 April 1957	25
	at Tiszapalkonya	•	NO. PAGES	1	
			REQUIREMENT NO.	RD	
NTE OF FO.			REFERENCES		257
ACE &					25X
	SOURCE EVALUATIO	NS ARE DEFINITIVE.	APPRAISA! OF CONTENT	IS TENTATIVE.	25X
	describing the power at Tiszapalkonya, Hu	ngary, before the	e revolution of Oc	tober 1956.	MAY
				25X	11
		S-E-C-R-E	<b>-</b> T-	25X1	

INFORMATION REPORT INFORMATION REPORT



SECTION ST

SECHEL

25X1

#### HUNGARY

#### Economic

25X1

### Power Station and Chemical Combine at TISZAPALKONYA.

- No
- The construction of the TISZAPALKONYA Chemical plant is not 1. quite finished, though it is already producing considerable quantities of nitrogenous fertilizers for agriculture. It is believed that eventually explosives for the Soviet armed forces will be produced.
- The housing estate shown on the sketch at Appendix B is to 2. house 12,000 people, of whom one third are to be workers.
- 3. The power station is constructed to use the poor quality coal from the mines of the SAJO Valley. It is thought that it will be the largest power station in Hungary. At present is could use 600/800 wagons of coal per day and 10 - 15 m3 per second of water. is transported by rail and by the partially completed TISZA-SAJO canal. Conversion of the railway to double track was due to begin this winter.
- The extraction of the water from the River TISZA is done by an under-water pump. Water flows through a pipe to the filter at the rate of 10 - 15 m3 per second; at the filter it must reach a purity rating of less than 70 mgs per cubic metre. It goes thence to the cooler and from there part of it flows by gravity back into the TISZA. During the latter process it is planned to produce electrical power at times of low water in the river. The remaining water - at present about 3  $m^3$  per second - flows from the power station to the Chemical Combine for utilization there.
- In addition to the water from the power station, a suplementary source of supply is used in the wells at present being constructed to the North West of the Combine. The wells are 10 metres in diameter, 40 metres deep in gravel soil. Water is also stored in the water tower. The total cold water requirements of the Combine are 150 litres per second.
- 6. When the combine is completed it is planned to pipe the Roumanian natural gas to Tiszapalkonya for use in the combine. The pipe has already reached NYIREGYHAZA.

25X1

Sanitized Copy Approved for Release 2010/03/12: CIA-RDP80T00246A033800280001-6

## SECRET

25**X**1

- 7. The following Appendices are attached:
  - A. a trace of the map Middle Danube 1:100,000 Sheet X 15 (MISKOLC), showing the location of the chemical combine and the railway and canal built and projected.
  - $B_{\bullet}$  a general sketch map (not to scale) of the Power station and Chemical Combine  $_{\bullet}$
  - C. a more detailed sketch showing the combine, power plant, water purigying plant and well bores.
  - $D_{\bullet}$  an enlarged sketch map of the power station.



्राहित्य व

.

MISKOLC 25X1 NEW STREET THE SMILTERY

25X

